

MODULES

LDC/**E**-Temp

High performance temperature controller for laser diodes ($\pm 3A$)



_MAIN FEATURES

Ultra-high resolution (better than 0.0002 °C).

24 bit ADC

Thermistor measurement

High temperature stability (0.001 °C)

$\pm 3A$

Highly customizable PID loop, auto-calibration and graphical step response

Accompanies 10 k Ω thermistor NTC sensors.

_PRODUCT SPECIFICATIONS

LDC/E-Temp3

TEC controller output

Current range	±3A
Compliance voltage	< 4.3 V
Maximum output power	12.9 W

TEC controller sensor measurement

Measurement	4-wire
Sensor type	10 kΩ Thermistor
Resolution	<0.34 Ω (< 0.2 m°C)
Accuracy	±1.5 Ω (± 0.6 m°C)
Short term stability (40 s)	<2 m°C

Temperature control loop

Type	PID Manual independent configuration of P, I, D parameters Automatic PID calibration Graphical step response and configuration
------	---

General

Protection features	Temperature limits, Temperature window, no sensor detection
Connector	D-SUB15 (female)
Format	VME 160mm (for use with chassis/xxHP series and SOM/E controller)
Operating temperature	0-40 °C
Storage temperature	-40-70 °C
Size	3U height, 4 HP width, 160 mm depth

Table 1 LDC/E-Temp pinout

Pin	Name	IN/OUT	Description
1	TEC+	0	TEC current positive
2	TEC+	0	TEC current positive
3	TEC-	0	TEC current negative
4	TEC-	0	TEC current negative
5	GND	I/O	Ground (chassis)
6	GND	I/O	Ground (chassis)
7	TH1	I	Thermistor terminal 1
8	TH2	I	Thermistor terminal 2
9	TEC+	0	TEC current positive
10	TEC-	0	TEC current negative
11	NC		Not Connected
12	NC		Not Connected
13	NC		Not Connected
14	TH1_SENSE		Thermistor terminal 1 sense
15	TH2_SENSE		Thermistor terminal 2 sense
C	Connector	I/O	Ground (chassis)

_ORDERING INFORMATION

This product is commercialized by Eblana Photonics:

sales@eblanaphotonics.com

+353 1 675 3220

Part number:

LDC/**E**-Temp3

You can acquire this product as part of a MPPI system (see MPPI Brochure for further information and system configuration)

COMMERCIALIZED BY



eblanaphotonics

| **a** West Pier Business Campus, 3, Old Dunleary Rd, Dún Laoghaire, Co.
Dublin, A96 A621, Ireland
| **p** +353 1 675 3220
| **e** sales@eblanaphotonics.com
| **w** eblanaphotonics.com

_v1.1 datasheet

LDC/**E**-Temp

All product specifications are subject to change without prior notice



luzwavelabs